

February-12-14 2:23:00 PM

Page 1

FF  
14-03-31

# Work Order ID 113394

February-12-14 2:23:00 PM

**\*113394\***

Page 2

Item ID: D407-558-045 Accept **\*N9000040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Single Mirror Installation  
 Start Date: 2/12/14 Start Qty: 2.00 **\*2\*** Cust Item ID:  
 Required Date: 2/26/14 Req'd Qty: 2.00 **\*2\*** Customer:  
 Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 <b>*120*</b> QC Quality Control	QC5- Inspect part completeness to step on W/O  Memo	0.00 DAS 27 9-89 14813				2			
125 <b>*125*</b> Packaging Packaging	Pick Kit  Memo	0.00 0.00				2x	DAS 81 9-89	14-4-1	DAS 26 9-89
130 <b>*130*</b> QC Quality Control	QC4- 100% Inspect kits for completeness  Memo	0.00 0.00				2			

APR 17 2014

# Work Order ID 113394

February-12-14 2:23:00 PM

**\*113394\***

Page 3

Item ID: D407-558-045

Accept

**\*N900040100\***

Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Single Mirror Installation

Start Date: 2/12/14 Start Qty: 2.00

**\*2\***

Cust Item ID:

Required Date: 2/26/14 Req'd Qty: 2.00

**\*2\***

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140	Packaging	0.00							
<b>*140*</b>									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPP D407-558-045								
	Location: <u>011A</u>								
	PPP Rev: <u>E</u>								
150	QC21- Final Inspection - Work Order Release	0.00							
<b>*150*</b>									
QC	Memo	0.00							
Quality Control									

2 8 14-04-17

MCS 14-04-21

*14-4-21*

# Picklist Print

February-12-14 2:23:03 PM

Page 1

Work Order ID: 113394

**\*113394\***

Parent Item: D407-558-045

**\*D407-558-045\***

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP Rev:A 09-01-15 new issue DD verified by:ec IPP Rev:B  
10.06.17 added grommet DD verf:EC IPP REV:C 11.01.19 AS  
PER chg002 DD VERF:EC IPP REV:D 12.04.04 AS PER  
chg003 DD VERF:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------


MS35489-67

Purchased

No

Each

79.0000



2

**\*MS35489-67\***  
GROMMET

AS  
35  
-89

Location

ST289A

121600

Loc Qty

79

79

Each

Loc Code

46.0000

1

2

2 2x

DAS  
28  
9-89

D2011-101

Manufactured

No

**\*D2011-101\***  
Mirror

Location

FG

106348

ST179

110655

Loc Qty

2

2

44

44

110

Each

Loc Code

63.0000

2

4

2

FF 14-03-26

D2052

Manufactured

No

**\*D2052\***  
Bracket

Location

GA

101643

108808

Loc Qty

63

26

37

Loc Code

63.0000

2

4

4

FF 14-03-26

# Picklist Print

February-12-14 2:23:04 PM

Page 2

Work Order ID: 113394

**\*113394\***

Parent Item: D407-558-045

**\*D407-558-045\***

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

D2054      Manufactured      No      110      Each      86.0000      2      4

**\*D2054\***

Bushing - Delrin

**\*\***

FF 14-03-26

Location

Loc Qty

Loc Code

GA	86
104846	30
109091	47
<u>97113</u>	9

_____
_____
_____
4
2

D2055      Manufactured      No      110      Each      57.0000      1      2

**\*D2055\***

Clamp

**\*\***

FF 14-03-26

Location

Loc Qty

Loc Code

GA	57
105553	10
105730	20
92691	7
95397	8
<u>98395</u>	12

_____
_____
_____
_____
2

D2056      Manufactured      No      110      Each      32.0000      1      2

**\*D2056\***

Bell Crank Assembly

**\*\***

FF 14-03-26

Location

Loc Qty

Loc Code

GA	32
109921	20
<u>97798</u>	12

_____
_____
2

# Picklist Print

February-12-14 2:23:04 PM

Page 3

Work Order ID: 113394

**\*113394\***

Parent Item: D407-558-045

**\*D407-558-045\***

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

D2057 Manufactured No 110 Each 46.0000 1 2

**\*D2057\***

Plug

\*\*

FF 14-03-31

## Location

## Loc Qty

## Loc Code

GA 8  
97932 8  
ST004 38  
105455 38

D2065 Manufactured No 110 Each 1.0000 1 2

**\*D2065\***

Mirror Arm

\*\*

FF 14-03-26

## Location

## Loc Qty

## Loc Code

ST 112955 1  
91605 1

D3778-3 Manufactured No 110 Each 6.0000 1 2

**\*D3778-3\***

Bracket

DAS  
06  
9-89

\*\*

14-4-1

## Location

## Loc Qty

## Loc Code

ST228 6  
107023 6

MS21042L3 Purchased No 110 Each 4,015.000 2 4

**\*MS21042L3\***

Nut

\*\*

FF 14-03-26

## Location

## Loc Qty

## Loc Code

ST314 60  
M127304 19  
M127831 41  
ST506 955  
123900 955  
ST509 3000  
M127410 3000

February-12-14 2:23:04 PM

Shop Packet Print

Page 3

# Picklist Print

February-12-14 2:23:04 PM

Page 4

Work Order ID: 113394

\*113394\*

Parent Item: D407-558-045

\*D407-558-045\*

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

MS27039-1-18

Purchased

No

110

Each

2,043.000

2

4

\*MS27039-1-18\*

Screw

\*\*

FF 14-03-26

Location

Loc Qty

Loc Code

GA

92

123522

92

ST506

1951

124326

1951

NAS1149D0363J

Purchased

No

110

Each

2,409.000

4

8

\*NAS1149D0363J\*

Washer

\*\*

FF 14-03-26

Location

Loc Qty

Loc Code

GA

23

124392

23

ST510a

2386

m126319

1194

m127813

1192

AN3-4A

Purchased

No

125

Each

322.0000

4

8

2 \*AN3-4A\*

Bolt

DAS

03

9-89

\*\*

Location

Loc Qty

Loc Code

ST511

322

m127044

322

AN526-1032R9

Purchased

No

125

Each

134.0000

4

8

2 \*AN526-1032R9\*

Screw

\*\*

FF 14-4-1

Location

Loc Qty

Loc Code

ST345

100

M127363

100

ST346

34

M126105

34

DAS

03

9-89

DAS

03

9-89

DAS

03

9-89

February-12-14 2:23:04 PM

Shop Packet Print

Page 4

# Picklist Print

February-12-14 2:23:04 PM

Page 5

Work Order ID: 113394

**\*113394\***

Parent Item: D407-558-045

**\*D407-558-045\***

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

D2053

Manufactured No

125

Each

47.0000

2

DAS  
26  
9-89

Bracket

Location

Loc Qty

Loc Code

ST004

47

101704

30

108842

16

89271

1

\*\*

DAS  
31  
9-89

D2067

Manufactured No

125

Each

77.0000

2

DAS  
26  
9-89

Connector

Location

Loc Qty

Loc Code

ST004

77

105444

51

98270

26

\*\*

DAS  
31  
9-89

D2071-5

Manufactured No

125

Each

4.0000

2

DAS  
26  
9-89

Cable

Location

Loc Qty

Loc Code

ST223

4

107092

4

\*\*

DAS  
31  
9-89

February-12-14 2:23:04 PM

Shop Packet Print

Page 5



# Picklist Print

February-12-14 2:23:04 PM

Page 6

Work Order ID: 113394

**\*113394\***

Parent Item: D407-558-045

**\*D407-558-045\***

Parent Item Name: Single Mirror Installation

Start Date: 2/12/14

Required Date: 2/26/14

Start Qty: 2.00

Required Qty: 2.00

MS21042L3

Purchased

No

125

Each

4,015.000

2

DAS  
26  
9-89

**\*MS21042L3\***

Nut

DAS  
03  
9-89

Location

Loc Qty

Loc Code

ST314

60

M127304

19

M127831

41

ST506

955

123900

955

ST509

3000

M127410

3000

MS21919-DG5

Purchased

No

125

Each

39.0000

4

DAS  
26  
9-89

**\*MS21919-DG5\***

Clamp

DAS  
03  
9-89

Location

Loc Qty

Loc Code

ST321

39

125654

2

m127831

37

NAS1149D0332I

Purchased

No

125

Each

1,233.000

DAS  
26  
9-89

**\*NAS1149D0332I\***

Washer

DAS  
03  
9-89

Location

Loc Qty

Loc Code

GA

200

m127916

200

ST293

628

m127389

243

m127431

385

ST294

5

m125807

5

ST510a

400

m127916

400

February-12-14 2:23:04 PM

Shop Packet Print

Page 6

## DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER  
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D206-558 REV. 0

REF: CANADIAN STC SH92-17  
REF: FAA STC SH1031NE

### PURPOSE:

IT HAS COME TO DART'S ATTENTION THAT A DIFFERENT CABLE IS REQUIRED WHEN INSTALLING THE DART D407-558-045/-047 SINGLE/DUAL CARGO MIRROR ASSEMBLY ON A BHT 407GX AIRCRAFT.

THEREFORE, IN D407-558-045/-047 AT CHG 003 OR LATER, THE D2071-3 CABLE ASSEMBLY HAS BEEN REPLACED WITH THE D2071-5 CABLE ASSEMBLY.

THE D3778-1 BRACKET HAS ALSO BEEN REPLACED WITH THE D3778-3 BRACKET FOR BETTER PILOT COMFORT.

NOTE THAT THESE CHANGES ARE COMPATIBLE WITH THE ORIGINAL 407 AIRCRAFT SO THE CONTENT OF THIS DSI SUPERCEDES THE CONTENT OF DSI 9412 REV. A AND DSI 9436 REV. A.

CUSTOMERS WHO NEED TO UPGRADE D407-558-045/-047 MIRROR KITS FOR COMPATIBILITY WITH THE 407GX AIRCRAFT MUST PROCURE THE DSI9604-011 KIT FROM DART.

### DSI 9604-011 PARTS LIST:



Qty -011	Part Number	Description
X	DSI 9604-011	MIRROR UPGRADE KIT
1	D2071-5	CABLE ASSEMBLY (REPLACES D2071-3)
1	D3778-3	BRACKET (REPLACES D3778-1)

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED

BY:   
D. SHEPHERD (DE # 02)

DATE: 12.03.26  
CERT. NO.: SH92-17  
ISSUE NO.: 7

A	NEW ISSUE	MB	12.03.26
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9604	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR UPGRADE	NTS
DATE	12.03.26	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	


113394 MTS  
14-02-12

**INSTALL CHANGE:**

INSTALL THE D2071-5 CABLE ASSEMBLY PER INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND MAINTAIN PER ICA-D206-558 REV. 0.

INSTALL THE D3778-3 BRACKET AS DESCRIBED BELOW:

- 1) IF INSTALLED, REMOVE THE EXISTING VENT CONTROL BRACKET AND REMOVE THE VENT CONTROL.
- 2) PICKING UP ON EXISTING ANCHOR NUTS, INSTALL THE D3778-3 BRACKET USING AN526-1032R9 SCREWS.
- 3) INSTALL THE VENT CONTROL IN THE LOWERSLOT. INSTALL THE D2071-5 CABLE IN THE UPPER SLOT.



**FIGURE 1 - BRACKET INSTALLATION**

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED  
BY: *[Signature]*  
D. SHEPHERD (DE # 02)  
DATE: 12.03.26  
CERT. NO.: SH92-17  
ISSUE NO.: 7

DESIGN	MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9604	SHEET 2 OF 3
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	MIRROR UPGRADE	NTS
DATE	12.03.26	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND SECTIONS 25-3 AND 25-4 OF ICA-D206-558 REV. D AS FOLLOWS:

**4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)**

**25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)**

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

**5.0 PARTS LIST (D206-558 REV. C OR EARLIER)**

**25.4 PARTS LIST (ICA-D206-558 REV. 0)**

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-5	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1			D3778-1	BRACKET
		1	1	D3778-3	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET


\* INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED

BY:   
D. SHEPHERD (DE # 02)

DATE: 12.03.26  
CERT. NO.: SH92-17  
ISSUE NO.: 7

DESIGN	MB	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9604	SHEET 3 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR UPGRADE	NTS
DATE	12.03.26	COPYRIGHT © 2012 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

APR 17 2014

REFERENCE ONLY

FROM THIS POINT FORWARD, CUSTOMERS SHOULD ORDER D407-558-045/-047 IN LIEU OF D206-558-041/-043 WHEN PROCURING SINGLE/DUAL MIRRORS FOR BHT 407 MODELS. AMEND SECTIONS 4.0 AND 5.0 OF INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER AND 25.3 AND 25.4 OF ICA-D206-558 REV. 0 AS FOLLOWS:

4.0 WEIGHT AND BALANCE (D206-558 REV. C OR EARLIER)

25.3 WEIGHT AND BALANCE (ICA-D206-558 REV. 0)

Installation	Weight	LATERAL		LONGITUDINAL	
		Arm	Moment	Arm	Moment
D206-558-041	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 206A/B/L/L1/L3/L4	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D206-558-043	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 206A/B/L/L1/L3/L4	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg
D407-558-045	2.4 lb	+5.0 in	+12.0 in-lb	+14.8 in	+35.5 in-lb
Bell 407	1.09 Kg	+0.13 m	+0.14 m-Kg	+0.38 m	+0.41 m-Kg
D407-558-047	3.0 lb	0.0 in	0.0 in-lb	+14.8 in	+44.4 in-lb
Bell 407	1.36 Kg	0.0 m	0.0 m-Kg	+0.38 m	+0.52 m-Kg

5.0 PARTS LIST (D206-558 REV. C OR EARLIER)

25.4 PARTS LIST (ICA-D206-558 REV. 0)

Qty -041	Qty -043	Qty -045	Qty -047	Part Number	Description
X				D206-558-041	SINGLE CARGO MIRROR ASSEMBLY
	X			D206-558-043	DUAL CARGO MIRROR ASSEMBLY
		X		D407-558-045	SINGLE CARGO MIRROR ASSEMBLY
			X	D407-558-047	DUAL CARGO MIRROR ASSEMBLY
1	2	1	2	D2011-101	MIRROR ASSEMBLY
2	2	2	2	D2052	BRACKET
1	1	1	1	D2053	BRACKET
2	2	2	2	D2054	BUSHING
1	1	1	1	D2055	CLAMP
1	1	1	1	D2056	BELLCRANK ASSEMBLY
1		1		D2057	PLUG
1		1		D2065	ARM
	1		1	D2066	ARM
1	1	1	1	D2067	CONNECTOR
1	1			D2071	CABLE ASSEMBLY
		1	1	D2071-3	CABLE ASSEMBLY
1	2	1	2	D3014-1	* LOCKNUT
1	1	1	1	D3778-1	BRACKET
4	4	4	4	AN3-4A	BOLT
4	4	4	4	AN526-1032R9	SCREW
1	2	1	2	AN960JD416L	* WASHER
4	4	4	4	AN960JD10	WASHER
6	6	6	6	AN960JD10L	WASHER
3	3	3	3	MS21042-3	NUT (or MS21042L3)
2	2	2	2	MS21919DG5	CLAMP
2	2	2	2	MS27039-1-18	SCREW
1	1			MS35489-9	GROMMET
		1	1	MS35489-67	GROMMET

INCLUDED AS PART OF D2011-101 MIRROR ASSEMBLY

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-Q-01

APPROVED

BY: D. SHEPHERD (DE # 02)

DATE: 08.12.04  
CERT. NO.: SH92-17  
ISSUE NO.: 7

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		DSI 9436	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		CABLE CHANGE	NTS
DATE	08.12.04	COPYRIGHT © 2008 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

REFER ONLY

## DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D206-558 REV. C OR EARLIER  
AND INSTRUCTIONS FOR CONTINUED AIRWORTHINESS ICA-D206-558 REV. 0

REF: CANADIAN STC SH92-17  
REF: FAA STC SH1031NE

### PURPOSE:

IT HAS COME TO DART'S ATTENTION THAT A DIFFERENT CABLE IS REQUIRED WHEN INSTALLING THE DART D407-558-045/-047 SINGLE/DUAL CARGO MIRROR ASSEMBLY ON A BHT 407GX AIRCRAFT.

THEREFORE, IN D407-558-045/-047 AT CHG 003 OR LATER, THE D2071-3 CABLE ASSEMBLY HAS BEEN REPLACED WITH THE D2071-5 CABLE ASSEMBLY.

THE D3778-1 BRACKET HAS ALSO BEEN REPLACED WITH THE D3778-3 BRACKET FOR BETTER PILOT COMFORT.

NOTE THAT THESE CHANGES ARE COMPATIBLE WITH THE ORIGINAL 407 AIRCRAFT SO THE CONTENT OF THIS DSI SUPERCEDES THE CONTENT OF DSI 9412 REV. A AND DSI 9436 REV. A.

CUSTOMERS WHO NEED TO UPGRADE D407-558-045/-047 MIRROR KITS FOR COMPATIBILITY WITH THE 407GX AIRCRAFT MUST PROCURE THE DSI9604-011 KIT FROM DART.

### DSI 9604-011 PARTS LIST:

Qty -011	Part Number	Description
X	DSI 9604-011	MIRROR UPGRADE KIT
1	D2071-5	CABLE ASSEMBLY (REPLACES D2071-3)
1	D3778-3	BRACKET (REPLACES D3778-1)

CANADA  
DEPARTMENT OF TRANSPORT  
AIRCRAFT CERTIFICATION  
BRANCH  
DAO # 01-O-01

APPROVED

BY:   
D. SHEPHERD (DE # 02)

DATE: 12.03.26  
CERT. NO.: SH92-17  
ISSUE NO.: 7

A	NEW ISSUE	MB	12.03.26
REV.	DESCRIPTION	BY	DATE
DESIGN	MB	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.	N/A	DSI 9604	SHEET 1 OF 3
APPROVED		TITLE	SCALE
DE APPR.		MIRROR UPGRADE	NTS
DATE	12.03.26	COPYRIGHT © 2012 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	